



PP BATTERY CASE INK (PPB)

Main Characteristics

Finish

Gloss

Ink Type

One Pack – Solvent Based

Drying

- Air dry : 15-20 minutes
- Jet dry : 70 °C 1-2 minutes

Thinning

- 10-15 % Retarder 6032

Cleaning

- Cleaner 2940
- For heavy ink stains, Screensolve (SSO038) can be used.

Mesh

- P90-48 to P120-34 Monofilament
- N90-44 to N120-35 Monofilament

Stencil Type

- All solvent resistant direct Emulsion photo-stencils

Recommended

- U017 Diazol Plus Ultra
- FG226 Polyzol Plus S

Coverage & Mesh No.

- 55-65 m²/Kg (Polyester Mesh No. P120-34 or Nylon Mesh No. P120-35)

Application

- Untreated Polypropylene (PP) and Treated Polypropylene (PP)

Caution

- Stir well before use.
- It is advisable that the ink be tested fully prior to printing.

Colours Range

8 Colours : 2 Standard and 6 CMS colours

Features

- Untreated Polypropylene (PP) and Treated Polypropylene (PP).
- Very good abrasion resistance.
- Excellent adhesion and durability.

Available Colours

Standard Colours

PPB100 Black

PPB200 White

PPB090 Clear

CMS Base Colours

PPB327 Yellow GS

PPB507 Red YS

PPB560 Magenta

PPB700 Green

PPB347 Yellow RS

PPB550 Red

CHAIYABOON BROTHERS CO.,LTD.

Head Office Pathumthanee 26/9 M.3 Lamlukka Rd, Lamlukka, Pathumthanee 12150, Thailand.

Tel : +662-533-2533, +662-994-5199

Fax : +662-533-2449, +662-994-5180



www.chaiyaboon.com

e-mail: exportmarketing@chaiyaboon.com



รางวัลจรรยาบรรณดีเด่น ทศการกล้าไทย

Standard Packing

1 Kg container.

Safety and Handling

- All colours comply with the following standards : EN71-3, Standard of The European Economic Community and Part1303, Title16, Code of Federal Regulation of U.S.A.
- Whilst working with the ink, the consumption of food and drink, and smoking are not recommended.
- PPB ink should be used with care. Wear suitable PPE, for example, appropriate gloves and safety glasses.
- Comprehensive information on **the Safety and Handling of PPB ink** in Chaiyaboon Safety Data Sheet, available on request.

Storage

- PPB ink should be stored in a sealed container between 5-25 °C.
- Store in a well ventilated place.

